


BHLX3-00-240X320-X-IR850-24V

Lighting Dimension





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	1410 g
Length / Outer Diameter	356 mm
Width / Inner Diameter	258 mm
Thickness / Height	30 mm



BHLX3-00-240X320-X-IR850-24V

Optical Information							
Part Number		BHLX3-00-240X320-X-IR850-24V					
LED Color			IR				
Wavelength	(nm)		850				
Intensity (±15%)	(Lux)		NA				
Working Distance	(mm)	NA NA					
Illumination (number of row)							
Illumination Active Area							
Active Length / Outer Diameter	(mm)	320					
Active Width / Inner Diameter	(mm)	240					
Emission angle	(deg.)	0					
Eye Safety Class (IEC62471)		EXEMPT					
Electrical Information							
Lighting Supply Voltage							
(constant voltage mode)		24V ± 2%					
Continuous Current	(mA)	1560					
Power Consumption	(W)	37.44					
Lighting casing temperature,		TBA					
Operating after 60 minutes	°C	€C IRA					
Strobe Mode Specification							
Pulse Operation		YES					
Max. Lighting Supply Voltage	0.0	Bulsing at 24VD	C to 48VDC, 0-10% Duty Cycle	Pacammandad at 261	rpc		
(Constant voltage power supply)	(V)	Puising at 24VD	to 48VDC, 0-10% Duty Cycle	Recommended at 36\	rDC		
Pulse Current, (Max. 10msec)	(mA)	4680					
(Constant current power supply)	(ma)	4080					
Max. Trigger Pulse Duration	(msec)	10					
Duty Cycle		0-10%					
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANGX, SD, ST & SDA Series					
CE Conformity		YES					
RoHS Compliance		YES					
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)		500				
Pin Configuration :		Pin	Signal		Cable Color		
		1	LED +		RED		
		2	N.C.				
		3	LED -		WHITE		
Application							
Illumination Type		Backlight Illumination					
Applicattion Use		Lead frame inspection, shape recognition, size measurement.					
Applicattion Use		Lead frame inspection, shape recognition, size measurement.					



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



VISION CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

