


## **ILLUMINATOR DATA-ID**

### LBL3-00-400-X-B-24V

#### **Lighting Dimension**





Mechanical Information	
Casing Material	Aluminium
Storage Temperature Range	Temp 0-45°C, Humidity 20-85%
Weight	450 g
Length / Outer Diameter	420 mm
Width / Inner Diameter	26.3 mm
Thickness / Height	32.8 mm



# ILLUMINATOR DATA-ID

### LBL3-00-400-X-B-24V

Optical Information							
Part Number			LBL3-00-400-X-B-24V				
LED Color							
	(	BLUE					
Wavelength Intensity (±15%)	(nm) (Lux)	450 TBA TBA TBA					
				30			
Working Distance Illumination (number of row)	(mm)	10	20 X	30			
Illumination (number of row)			λ				
Active Length / Outer Diameter	(mm)	399					
Active Width / Inner Diameter	(mm)	19.7					
Emission angle Eye Safety Class ( IEC62471 )	(deg.)	(deg.) 0					
Eye Salety Class (IEC024/1)			II .				
Electrical Information							
Lighting Supply Voltage							
(constant voltage mode)			24V ± 2%				
Continuous Current	(mA)		600				
Power Consumption	(W)		14.4				
Lighting casing temperature,	(**/		2.07				
Operating after 60 minutes	°C		TBA				
operating after 60 minutes	· ·	C					
Strobe Mode Specification							
Pulse Operation			YES				
Max. Lighting Supply Voltage	_						
	(V)		Pulsing at 24VDC to 48VDC, 0-10% Duty Cycle				
(Constant voltage power supply)			Recommended at 36VDC				
Pulse Current, (Max. 10msec)	(mA)		1800				
(Constant current power supply)							
Max. Trigger Pulse Duration	(msec)		10				
Duty Cycle		0-10%					
Additional Information							
Additional Cooling Method		Attached to machine part for better heat dissipation					
Intensity Controller Selection		ANG, ST , SD and SDA Series					
CE Conformity		YES					
RoHS Compliance	YES						
Connection							
Connector Type (Default):		JST SMR-03V					
Cable Length out from lighting :	(mm)	500					
Pin Configuration :		Pin	Signal	Cable Color			
		1	LED +	RED			
		2	N.C.				
		3	LED -	WHITE			
Application							
Illumination Type		Backlight Illumination					
Applicattion Use		Lead frame inspection, shape recognition, size measurement.					
	•						



Thank you for downloading this document from www.machine-vision-shop.com

If you have any questions, you need help composing the right package for your application or do you want to order?

Feel free to contact us via e-mail at sales@vision-consultancy.nl or visit our webshop.

Our vision experts are happy to help you.



Natascha Overhof



Christian Crompvoets



#### **VISION** CONSULTANCY

Robert Schumandomein 2 6229 ES Maastricht The Netherlands

+31 (0) 438 522 651

sales@vision-consultancy.nl www.machine-vision-shop.com

